Cooler: Yes ☐ No ☐
Coolant: IPK ☐ ICE ☐ No ☐

CHAIN OF CUSTODY RECORD

Temp ° C Pg of

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Data Delivery/Contact Options:
- ☐ Fax:
- ☐ Phone:
- ☐ Email:

Customer:
Address:

Project:
Report to:
Invoice to:
QUOTE #

Project P.O:

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature ______ Date: ______

Matrix Code:
DW=Drinking Water **GW**=Ground Water **SW**=Surface Water **WW**=Waste Water
RW=Raw Water **SE**=Sediment **SL**=Sludge **S**=Soil **SD**=Solid **W**=Wipe **OIL**=Oil
B=Bulk **L**=Liquid

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled											GL Amber 8 oz. w/H3PO4	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle w/thio	Bacteria Bottle as is

Relinquished by:	Accepted by:	Date:	Time:

Comments, Special Requirements or Regulations:

Turnaround:
- ☐ 1 Day*
- ☐ 2 Days*
- ☐ 3 Days*
- ☐ Standard
- ☐ Other

* SURCHARGE APPLIES

RI
- ☐ Direct Exposure (Residential)
- ☐ GW
- ☐ Other

CT
- ☐ RCP Cert
- ☐ GW Protection
- ☐ SW Protection
- ☐ GA Mobility
- ☐ GB Mobility
- ☐ Residential DEC
- ☐ I/C DEC
- ☐ Other

MA
- ☐ MCP Certification
- ☐ GW-1
- ☐ GW-2
- ☐ GW-3
- ☐ S-1
- ☐ S-2
- ☐ S-3
- ☐ MWRA eSMART
- ☐ Other

State where samples were collected: ______

Data Format
- ☐ Excel
- ☐ PDF
- ☐ GIS/Key
- ☐ EQuIS
- ☐ Other

Data Package
- ☐ Tier II Checklist
- ☐ Full Data Package*
- ☐ Phoenix Std Report
- ☐ Other

* SURCHARGE APPLIES